



"FIRST IN SERVICE"

HOUMA, LA
1-800-230-8265

JENNINGS, LA
1-800-200-8265

COAST GUARD APPROVED TANKS
IMDG STAINLESS TANKS

IM-101 TANKS • UN TANKS
CARGO TANKS • STORAGE TANKS

CUTTINGS BOXES • D.O.T. SPEC. 57 TANKS
CARGO CONTAINERS

OFFSHORE TOOL BASKETS
PALLET CARGO BOXES

PORTABLE MUD MIXING PLANTS
MUD PUMPS AND HOSES

Member of



www.magnummud.com

Servicing the Gulf of Mexico for 30 Years





Commitment to Our Customers

Magnum Mud Equipment Co., Inc. began operating in 1981 solely for the purpose of supplying the oil industry with first class mixing and transport tanks. In our 30 plus years of operation, we realized other needs of our customers and have since added Cuttings Boxes, Pallet Boxes, Cargo Containers, Drum Racks, Bottle Racks, Grating Carriers, Tote Tank Carriers, and Tool Baskets ranging in widths from 4' wide to 12' wide and lengths from 4' long up to 76' long.

CCU Standardization: Magnum Mud Equipment Co., Inc. is one of the founding members of the AECCA (American Energy Cargo Container Association). Founded in 2009, one of the AECCA's main purposes is to develop and implement a global CCU (Cargo Carrying Unit) standard for design, construction, maintenance, repair, and inspection of CCU's. As of late 2012, the API (American Petroleum Institute) has joined forces with the AECCA and has formed the 2CCU Task Group. The 2CCU task group, which Magnum Mud Equipment Co., Inc. is a member of, is currently working to finalize guidelines that will be accepted and disseminated through API which will address all phases of CCU design, construction, maintenance, repair and inspection. Magnum Mud Equipment Co., Inc. is proud to take part in this effort as it will take our industry to a new level of safety and accountability.

Compliance: In today's industry, Compliance of equipment is of the utmost importance. Magnum Mud Equipment Co., Inc. has a vast database consisting of every piece of equipment we own and test/inspection dates associated with each piece of equipment. We also have online certificates available on our equipment. By simply visiting our website at www.magnummud.com, the certification of each sling, tank or any other type of equipment can be quickly loaded and printed if needed.

8 Locations to Serve You

Logistics can be a complicated task for Operators and Service Companies working in the Gulf of Mexico. In order to make it easier to get the job done in a timely and cost efficient manner, Magnum Mud Equipment Co., Inc. operates facilities in Venice, Fourchon, Houma, Morgan City, Intracoastal City, Jennings, Cameron and Galveston. In addition, we offer free local delivery and pick up of the equipment we stock in Venice, Fourchon, Cameron and Galveston. We are sure to have what you need, where you need it.

1. Venice, Louisiana
2. Fourchon, Louisiana
3. Morgan City, Louisiana
4. Intracoastal City, Louisiana
5. Cameron, Louisiana
6. Galveston, Texas
7. Jennings, Louisiana
8. Houma, Louisiana



Table of Contents



D.O.T. and U.S.C.G. Approved Tanks

	Brochure Page #
350 gallon I.B.C. Tote Tank.....	2
550 gallon I.B.C. Tote Tank.....	2
550 gallon IMDG Tank.....	3
25 bbl. IMDG Tank.....	3
25 bbl. UN Tank.....	4
25 bbl. Marine Portable Tank or IM 101 Tank.....	4
100 bbl. Marine Portable Tank or IM 101 Tank.....	5
150 bbl. Marine Portable Tank or IM 101 Tank.....	6
250 bbl. Storage or Transport Tank.....	7
500 bbl. Storage or Transport Tank.....	8
15 bbl. D.O.T. Spec. 57 Cuttings Box.....	9
25 bbl. D.O.T. Non Spec. Cuttings Box.....	10

Mixing Tanks

30 bbl. Open Top Mx. Blend. Tank w/Hydraulic Agitator.....	19
50 bbl. Open Top Mx. Blend. Tank w/Hydraulic Agitator.....	19
100 bbl. Open Top Mx. Blend. Tank w/Electric Agitator.....	20
300 bbl. Open Top Mx. Blend. Tank w/Electric Agitator.....	21
500 bbl. Open Top Mx. Blend. Tank w/Electric Agitator.....	22

Storage Tanks

25 bbl. Open Top Storage Tank.....	Not Shown
50 bbl. Open Top Storage Tank.....	Not Shown
50 bbl. Open Top Mx. Tank.....	Not Shown
100 bbl. Open Top or L. Skid Encl. Storage.....	20
100 bbl. Open Top Mx. Tank.....	20
150 bbl. Open Top Storage Tank.....	Not Shown
200 bbl. Open Top Storage Tank.....	21
210 bbl. Enclosed L-Skid Storage Tank.....	22
300 bbl. Open Top Storage Tank.....	Not Shown
500 bbl. Open Top Storage Tank.....	Not Shown

Portable Pumps

2" X 2" Air Diaphragm Pump.....	23
3" X 3" Air Diaphragm Pump.....	23
5" X 6" Centrifugal Pump w/371 Diesel Engine Electric Start.....	24
5" X 6" Centrifugal Pump w/371 Diesel Engine Electric Start and Independent Hydraulic Power Pack.....	Not Shown
6" X 8" Centrifugal Pump w/471 Diesel Engine Electric Start.....	24
6" X 8" Centrifugal Pump w/671 Diesel Engine Electric Start.....	24

Logistics Equipment

4' x 4' Cargo Container.....	11
Magnum Single Pallet-Cargo Box w/ Water Tight Door.....	11
Side By Side Pallet Box.....	12
Magnum Dual Pallet-Cargo Box.....	12
6' x 6' Cargo Container.....	13
8' x 10' Double Door Cargo Container.....	13
8' x 20' Double Door Cargo Container.....	13
4' x 4' Offshore Tool Basket.....	14
4' x 8' Offshore Tool Basket.....	14
4' x 12' Offshore Tool Basket.....	14
4' x 16' Offshore Tool Basket.....	14
4' x 24' Offshore Tool Basket.....	14
4' x 40' Offshore Tool Basket.....	14
4' x 50' Offshore Tool Basket.....	14
4' x 76' Offshore Tool Basket.....	14
6' x 8' Offshore Tool Basket.....	14
6' x 12' Offshore Tool Basket.....	14
6' x 16' Offshore Tool Basket.....	14
8' X 8' Octagon Hose/Material Basket.....	15
8' x 16' Offshore Tool Basket.....	15
8' x 24' Offshore Tool Basket.....	15
12' x 27' Offshore Tool Basket.....	15
4' x 12' Subsea Basket.....	15
4' x 16' Subsea Basket.....	15
4' x 24' Subsea Basket.....	15
8' x 16 Subsea Basket.....	15
8' x 24' Subsea Basket.....	15
6' x 6' Mini-Transporter.....	16
8' x 16' Magnum Transporter.....	16
8' x 24' Magnum Transporter.....	16
Drum Carrier.....	17
Tote Tank Carrier.....	17
Bottle Rack.....	17
Sling Rack.....	18
Grating Carrier.....	18
6" 8-Way Manifold System.....	23

350 GALLON STAINLESS STEEL TOTE TANK



FEATURES:

- 10 Gauge Construction
- Base Dimensions: 42" x 48"
- Total Height (approx.): 50"
- Volume (approx.): 350 gallons (1325 liters)
- Empty Weight (approx.): 496 lbs.
- Maximum Gross Weight: 6,000 lbs.
- 22.5" Nominal Diameter Stainless Steel Removable Lid with Eyebrows (for fork deflection) and a 2" Crimp-on Vent Cap
- EPDM Multi-seal Lid Gasket
- Epoxy-coated Manway Clamp Ring
- Standard 1/4" Combination Lifting Lug / Leg Positioner
- 2" Top Bung Fitting with Plug and Buna Gasket
- Sloped Bottom Construction for Virtually Complete Product Drainage
- 2" 316 Stainless Steel Reverse Acting, Lockable Ball Valve with Plastic Shipping Plug and Valve Guard for Forklift Protection
- Plated Steel 5/8" x 4" Bolt and 5/8" Nut
- Safety / Caution Decals
- Stainless Steel UN/Serial Number Plate

550 GALLON STAINLESS STEEL TOTE TANK



FEATURES:

- 10 Gauge Construction
- Base Dimensions: 42" x 48"
- Total Height (approx.): 74"
- Volume (approx.): 550 gallons (2084.50 liters)
- Empty Weight (approx.): 645 lbs.
- Maximum Gross Weight: 9,400 lbs.
- 22.5" Nominal Diameter Stainless Steel Removable Lid with Eyebrows (for fork deflection) and a 2" Crimp-on Vent Cap
- EPDM Multi-seal Lid Gasket
- Epoxy-coated Manway Clamp Ring
- Standard 1/4" Combination Lifting Lug / Leg Positioner
- 2" Top Bung Fitting with Plug and Buna Gasket
- Sloped Bottom Construction for Virtually Complete Product Drainage
- 2" 316 Stainless Steel Reverse Acting, Lockable Ball Valve with Plastic Shipping Plug and Valve Guard for Forklift Protection
- Plated Steel 5/8" x 4" Bolt and 5/8" Nut
- Safety / Caution Decals
- Stainless Steel UN/Serial Number Plate

See our Tote Tank Carrier on page 17.

Magnum Mud Equipment Inc. once again recognizes the need in our industry for specialized tanks to transport specialized products. In addition to our 25BBL stainless steel IMDG tanks, our new 550 Gallon stainless steel IMDG tanks offer many benefits for transportation of expensive specialty fluids or hazardous products that require the safety features of IMDG tanks. These tanks have many safety features built into the design such as internal valves with both remote closure and fusible links, should a fire occur. The grated work area and fall arrest anchor device work together to supply a safe area for workers when filling or rigging the tank. Lastly, these tanks have no internal liners to worry about. Give us a call so we can answer any questions that may arise concerning our stainless steel IMDG tanks.



550 GALLON IMDG TANK

FEATURES:

- IMDG (T11) – UN Class Certification
- DIM – 5'2"L X 5'2"W X 7'11"H
- Empty Weight – 2,645 lbs.
- Max. Growth Weight – 13,228 lbs.
- M.A.W.P. 58 PSI
- DNV 2.71 Approved 4-Point Lift
- 2" Camlock Discharge

25 BBL. IMDG TANK

FEATURES:

- IMDG (T11) – UN Class Certification
- DIM – 6'6"L X 6'6"W X 8'6"H
- Empty Weight – 4,190 lbs.
- Max. Growth Weight – 26,000 lbs.
- M. A. W. P. 58 PSI
- DNV 2.71 Approved 4-Point Lift
- 3" Camlock Discharge

Optional Level Indicator Gauge



25 BBL. UN TANK

FEATURES:

- 8'6" L X 6' W X 7'2" H
- Empty Weight - 6,500 lbs.
- Max. Gross Weight - 28,000 lbs.
- M.A.W.P. 58 psi
- 3" Internal Valve
- Camlock Fittings
- Epoxy Lining
- 4 - Point Lift
- Forklift Slots
- Fusible Link
- Walkway Grating
- * Tank height is less than 6' from the ground, therefore no harness is required.




25 BARREL D.O.T. CERTIFIED IM 101 TANK



FEATURES:

- Protective frame around tank allows tanks to be stackable
- Epoxy lined for easier cleaning
- Internal valve & remote closure
- Top of tank has non-skid surface for safety
- * Tank height is less than 6' from the ground, therefore no harness is required.



4 Bar IM101 Tanks can be provided upon request.
 UNITED STATES COAST GUARD & D.O.T. CERTIFIED TANKS

We have the largest inventory of offshore transport tanks on the Gulf Coast.




100 BARREL D.O.T. CERTIFIED IM 101 TANK

FEATURES:

Epoxy Lined for Easier Cleaning
 Top of Tank Has Non-skid Surface for Safety

IM 101
 CERTIFIED




150 BARREL D.O.T. CERTIFIED IM 101 TANK

FEATURES:

- Epoxy Lined for Easier Cleaning
- Top of Tank has Non-skid Surface for Safety

IM 101
CERTIFIED



We Can Handle the Big Jobs Too



250 BARREL U.S.C.G. APPROVED INDEPENDENT CARGO TANK WITH HAND RAILS

FEATURES:

- Suction Line
- Fill Line
- Available with Circulating Line upon Request

Also Available:

8-Way Manifold p. 23




2", 3" or 4" Hoses



Pumps p. 24



**Site glass available on request.*



500 BARREL U.S.C.G. APPROVED INDEPENDENT CARGO TANK WITH HAND RAILS



Also Available:

8-Way Manifold p. 23



2", 3" or 4" Hoses




Pumps p. 24



FEATURES:

- Suction Line
- Fill Line
- Walkway with Handrails
- Available with Circulating Line upon Request

**Site glass available on request.*



15 BARREL D.O.T. SPEC. 57 CUTTINGS BOX



FEATURES:


- Low Profile
- Tank Galvanized for Easy Cleaning
- Stackable Design for Saving Space
- Inspection Hatch
- Fork Lifiable on All 4 Sides
- Designed, Manufactured and Tested to Meet or Exceed D.O.T. Requirements

TANK USED FOR:

- Transporting Materials Offshore
- Transporting Materials on Highways

APPROVED FOR TRANSPORTING:

- NORM Waste
- Oil Base Drill Cutting
- Many Other Industrial Hazardous Wastes



25 BARREL D.O.T. NON SPEC. CUTTINGS BOX



FEATURES:


- Low Profile
- Tank Galvanized for Easy Cleaning
- Stackable Design for Saving Space
- Inspection Hatch
- Fork Lifiable on All 4 Sides
- Designed, Manufactured and Tested to Meet or Exceed D.O.T. Requirements

TANK USED FOR:

- Transporting Materials Offshore
- Transporting Materials on Highways

APPROVED FOR TRANSPORTING:

- NORM Waste
- Oil Base Drill Cutting
- Many Other Industrial Hazardous Wastes



"We Can Handle All Your Cargo Container Needs"



4X4 CARGO CONTAINER

DIMENSIONS 4'W X 4'L X 7'1"H • APPROX. WEIGHT 2,150 lbs.

FEATURES:

- Maximum Gross Weight: 10,000 lbs.
- Stackable Design (Empty Only)
- Lockable Door
- Forklift Slots
- Designed with 2.5 to 1 Safety Factor
- Engineered Padeyes
- Waterproof Doors
- Galvanized Coating
- 4 Leg Sling



PALLET/CARGO BOX

DIMENSIONS 6'9"H x 5'8"W x 5'11"D • APPROX. WEIGHT 3,000 lbs.

FEATURES:

- Maximum Gross Weight: 10,000 lbs.
- Designed with 2.5 to 1 Safety Factor
- Engineered Padeyes
- Waterproof Door
- 2 Lockable Door Latches with Grease Fittings
- Internal Door Latches
- 2-4" Forklift Slots
- Stackable Design (Empty Only)
- Internal Cargo Tie Down Rings
- Waterproof Vent
- Galvanized Coating
- 4 Leg Sling



Also available for food or battery service.

SIDE BY SIDE PALLET BOX

DIMENSIONS: 6'9"H x 10'10"W x 5'8D
APPROX. WEIGHT: 6,000 lbs.



FEATURES:

- Maximum Gross Weight: 22,000 lbs.
- Stackable Design with 2 Independent Locking Doors
- Waterproof Doors
- 2 - 4" Forklift Slots
- Internal Cargo Tie Downs
- Waterproof Vent
- Galvanized Coating
- Engineered Padeyes

DUAL PALLET/CARGO BOX

DIMENSIONS 10'2"H x 5'4"W x 5'8"D • APPROX. WEIGHT 4,300 lbs.

FEATURES:

- Maximum Gross Weight: 17,200 lbs.
- Designed with 2.5 to 1 Safety Factor
- Engineered Padeyes
- Large Easy Open Door
- Lockable Door Latch
- Internal Door Latch
- 2-4" Forklift Slots
- Internal Cargo Tie Down Rings
- External Tie Downs to Secure Box During Transportation
- Galvanized Coating
- Removable Shelf
- 4 - Leg Sling with Stinger

Common Uses:

- Transport, contain, and lift pallet material
- Transport, contain, and lift bulk sack material
- Transport miscellaneous items such as office equipment and computers



6X6 CARGO CONTAINER

DIMENSIONS 6'9"H X 6'8"W X 6'2"D
APPROX. WEIGHT: 1,510 lbs.

FEATURES:

- Maximum Gross Weight: 6,610 lbs.
- Stackable Design (Empty Only)
- CSC Safety Approval
- Lockable Door
- Wood Flooring
- Tie Down Loops
- 2 Vents
- Forklift Slots
- Engineered Padeyes
- Waterproof Doors



8x10 CARGO CONTAINER

DIMENSIONS 9'9"L x 8'W x 8'6"H
APPROX. WEIGHT: 3,400 lbs.

FEATURES:

- Maximum Gross Weight: 14,000 lbs.
- CSC Safety Approval
- Lockable Door Latches
- Wood Flooring
- 4 Interior Tie-Down Loops
- 2 Vents on Each Side
- Forklift Slots
- Engineered Padeyes
- Stackable Design (Empty Only)

8x20 CARGO CONTAINER

DIMENSIONS 19'11"L x 8'W x 8'6"H • APPROX. WEIGHT: 5,000 lbs.

FEATURES:

- Maximum Gross Weight: 28,000 lbs.
- CSC Safety Approval
- Waterproof Doors
- Lockable Door Latches
- Wood Flooring
- Interior Tie-Down Loops
- Vent on Each Side
- Forklift Slots
- Engineered Pad Eyes
- Stackable Design (Empty Only)

Common Uses:

- Transport and store miscellaneous cargo (i.e.: furniture, office supplies, pallet material)
- Store and secure cargo at the dock





4' x 4'
EMPTY WEIGHT: 1,450 lbs.
MAX GROSS WEIGHT: 6,000 lbs.




4' x 8'
EMPTY WEIGHT: 2,050 lbs.
MAX GROSS WEIGHT: 12,000 lbs.



4' x 12'
EMPTY WEIGHT: 2,500 lbs.
MAX GROSS WEIGHT: 12,000 lbs.



4' x 16'
EMPTY WEIGHT: 3,900 lbs.
MAX GROSS WEIGHT: 12,000 lbs



4' x 24'
EMPTY WEIGHT: 4,400 lbs.
MAX GROSS WEIGHT: 13,000 lbs.



4' x 40'
EMPTY WEIGHT: 7,600 lbs.
MAX. GROSS WEIGHT: 40,000 lbs.



*Winches on
40' & 50' Baskets*

4' x 50'
EMPTY WEIGHT: 9,200 lbs.
MAX. GROSS WEIGHT: 40,000 lbs.
(4' x 76' Not shown)



6' x 8'
EMPTY WEIGHT: 2,500 lbs.
MAX GROSS WEIGHT: 15,000 lbs



6' x 12'
EMPTY WEIGHT: 3,400 lbs.
MAX GROSS WEIGHT: 23,800 lbs.



6' x 16'
EMPTY WEIGHT: 4,200 lbs.
MAX GROSS WEIGHT: 24,800 lbs.

All MMECO Baskets Are Designed With 2.5 to 1 Safety Factor



8' x 8' Octagon
EMPTY WEIGHT: 2,650 lbs.
MAX GROSS WEIGHT: 12,500 lbs.



8' x 16'
EMPTY WEIGHT: 6,000 lbs.
MAX GROSS WEIGHT: 26,500 lbs.



8' x 24'
EMPTY WEIGHT: 8,600 lbs.
MAX GROSS WEIGHT: 40,000 lbs.



12 x 27'
EMPTY WEIGHT: 12,300 lbs.
MAX GROSS WEIGHT: 68,000 lbs.

Subsea Baskets



4' x 12' Subsea Basket
EMPTY WEIGHT: 2,500 lbs.
MAX GROSS WEIGHT: 12,000 lbs.



4' x 16' Subsea Basket
EMPTY WEIGHT: 3,900 lbs.
MAX GROSS WEIGHT: 12,000 lbs.

**Also available in 4' x 24'*



8' x 16' Subsea Basket
EMPTY WEIGHT: 6,000 lbs.
MAX GROSS WEIGHT: 26,500 lbs.



8' x 24' Subsea Basket
EMPTY WEIGHT: 8,600 lbs.
MAX GROSS WEIGHT: 40,000 lbs.

MINI TRANSPORTER

DIMENSIONS 5'10" L x 5'10" W x 5' H • APPROX. WEIGHT 2,350 lbs.



FEATURES:

- Maximum Gross Weight: 10,000 lbs.
- Door Lock Pins with Positive Lock
- 2 - 4" Forklift Slots
- Stackable Design
- Internal Cargo Tie Down Rings
- Large Easy Open Door
- Galvanized Coating
- Engineered Padeyes
- Designed with 2.5 to 1 Safety Factor


Common Uses:

- Transport, contain, and safely lift up to four drums
- Transport, contain, and safely lift pallet material
- Transport, contain, and safely lift bulk sack material

TRANSPORTERS

8' x 16' TRANSPORTER

DIMENSIONS: 16' L x 8' W x 5'8" H
EMPTY WEIGHT: 5,000 lbs.



FEATURES:

- Maximum Gross Weight: 35,000 lbs.
- Chain Pockets
- 4-3" Strap Binders
- 2-4" Forklift Slots
- Hardwood Deck
- Galvanized Coating
- 4-Leg Sling
- Designed with 2.5 to 1 Safety Factor
- Engineered Padeyes

Common Uses:

- Safely transport, contain, and lift odd configured materials such as tubing reels, pipe, spools of cable, etc.
- Safely transport, contain, and lift multiple items to reduce the number of crane lifts

8' x 24' TRANSPORTER

DIMENSIONS: 24' L x 8' W x 5'8" H
EMPTY WEIGHT: 6,500 lbs.



FEATURES:

- Maximum Gross Weight: 40,000 lbs.
- Chain Pockets
- 4-3" Strap Binders
- 2-4" Forklift Slots
- Hardwood Deck
- Galvanized Coating
- 4-Leg Sling
- Designed with 2.5 to 1 Safety Factor
- Engineered Padeyes

Common Uses:

- Safely transport, contain, and lift odd configured materials such as tubing reels, pipe, spools of cable, etc.
- Safely transport, contain, and lift multiple items to reduce the number of crane lifts

DRUM CARRIER

DIMENSIONS 3'10"H x 4'8"W x 5'1/2"D
EMPTY WEIGHT 1,400 lbs.

FEATURES:

- Maximum Gross Weight: 6,000 lbs.
- 4 - Independent Lockable Doors
- Forklift Slots
- Stackable Design
- Safely Transports 4 - 55 Gallon Drums
- Engineered Padeyes



TOTE TANK CARRIER

DIMENSIONS 7'9"H x 4'6"W
EMPTY WEIGHT 1,550 lbs.

FEATURES:

- Maximum Gross Weight: 12,000 lbs.
- 4-Point Lift
- Engineered Padeyes
- Forklift Slots
- Stackable Design Empty Only
- Galvanized Coating

BOTTLE RACK

DIMENSIONS 6'5"H x 5'10"W x 5'1/2"D
EMPTY WEIGHT 2,000 lbs.

FEATURES:

- Maximum Gross Weight: 3,800 lbs.
- Safely Transports 8 Oxygen Bottles and 2 Acetylene Bottles
- Fold Down Ramp to Ease Loading and Unloading
- 2" Ratchet Straps to Secure Bottles
- 4-Point Lift
- Engineered Padeyes



SLING RACK

DIMENSIONS 4'2"W X 10'3"L X 6'11"H • EMPTY WEIGHT 2,000 lbs.

FEATURES:

- Maximum Gross Weight: 12,000 lbs.
- Forklift Slots
- Stackable Design
- Capacity 50 Slings Per Rack
- Engineered Padeyes
- Designed and fabricated with 2.5 to 1 Safety Factor

Available with:

- 50 - 3/4" X 30' Pipe Slings - 14" Standard Eye X 7/8" Oversized Thimble w/ 3/4" Bundler Clamp
- 50 - 7/8" X 30' Pipe Slings - 16" Standard Eye X 1" Oversized Thimble w/ 7/8" Clamp



GRATING CARRIER

DIMENSIONS 4'2"W X 20'2"L X 2'6"H • EMPTY WEIGHT 1,800 lbs.

FEATURES:

- Maximum Gross Weight: 12,000 lbs.
- Engineered Padeyes
- Stackable Design



30 BARREL DUAL ACTION HYDRAULIC MIXING PACKAGE

TANK DIMENSIONS 14'L x 7'W x 9'7"H • APPROX. TANK WEIGHT 6,600 lbs.

PUMP AND ENGINE INFORMATION:

353 Detroit Diesel w/PTO and Hydraulic Power Pack
Electric Start
Drip Pan
Emergency Shut Down
3" x 4" Centrifugal Pump
Muffler Wrap

TANK INFORMATION:

2-4" Fill Lines
1-4" Suction Line
Stairway with Handrails
Large Work Area
Removable Handrails so pallet can be brought in from two sides
14" Auger with Paddles
4 Shear Breaks Located on Tank Walls
Suction Valve Operable from Work Area



50 BARREL DUAL ACTION HYDRAULIC MIXING PACKAGE

TANK DIMENSIONS 14'L x 8'W x 9'H • APPROX. TANK WEIGHT 8,000 lbs.

PUMP AND ENGINE INFORMATION:

371 Detroit Diesel w/PTO and Hydraulic Power Pack
Electric Start
Drip Pan
Emergency Shut Down
5" x 6" Centrifugal Pump
Muffler Wrap

TANK INFORMATION:

2-4" Fill Lines
2-4" Suction Line
Stairway with Handrails
Fold Down Handrails on Top of Tank
Large Work Area
Removable Handrails so pallet can be brought in from two sides
20" Auger with Paddles
4 Shear Breaks Located on Tank Walls
Suction Valve Operable from Work Area



100 BARREL MIXING TANK

TANK DIMENSIONS 21'6"L x 8'4"W x 10'6" • APPROX. WEIGHT 10,500 lbs.



FEATURES:

- 4" Hopper
- 4" Manifold with 3-3" Jet Lines
- 4" Discharge and Fill Lines
- Stairway and Work Area with Safety Rails
- 3 HP Electric Agitator

100 BARREL OPEN TOP STORAGE TANK

TANK DIMENSIONS 16'6"L x 7'2"W x 7'4"H • APPROX. WEIGHT 6,000 lbs.



200 BARREL OPEN TOP TANK

TANK DIMENSIONS 26'10"L x 8'W x 7'H • APPROX. WEIGHT 12,500 lbs.



300 BARREL BLENDING PLANT WITH 2-10 HP ELECTRIC AGITATORS

TANK DIMENSIONS: 33'2"L x 8'2"W x 11'3"H • APPROX. WEIGHT 21,000 lbs.

FEATURES:

- 4" Hopper
- Grated Top with Safety Rails
- 4" Fill Line
- 2 - 4" Suction Lines
- Wired 220V or 480V



500 BARREL MIXING PLANT WITH 2-15 HP ELECTRIC AGITATORS

TANK DIMENSIONS 41'L x 8'6"W x 12'10"H • APPROX. WEIGHT 30,000 lbs.

FEATURES:

4" Hopper

Grated Top with Safety Rails

6" Fill Line

4" & 6" Suction Lines

Wired 220V or 480V

2 Adjustable Gun Lines



210 BARREL (L SKID) STORAGE TANK

TANK DIMENSIONS 11'1"W x 10'2"D x 17'11"H • APPROX. WEIGHT 10,000 lbs.



*Also available in 100 bbl. capacity

FEATURES:

8" Pressure Relief Device

1 - 4" Fill Line

2 - 4" Suction Lines

1 - 4" Drain

Large Cleanout Hatch

Usable in both horizontal and vertical positions

AIR DIAPHRAGM PUMPS

2"

DIMENSIONS 30" H x 19"W x 14"L
APPROX. WEIGHT 70± lbs.



MODEL M8

2" x 2" Air Diaphragm Pump
125 Max PSI
Up to 155 GPM
Max. Particle Size 1/4"
Suction Lift: Dry 20' - Wet 25'

3"

DIMENSIONS 33" H x 20"W x 17"L
APPROX. WEIGHT 110± lbs.



MODEL M15


3" x 3" Air Diaphragm Pump
125 PSI Max
Up to 230 GPM
Max. Particle Size 3/8"
Suction Lift: Dry 17' - Wet 25'

8 WAY MANIFOLD

8'6" L X 4' 6" W X 3'9" H

SPECIFICATIONS:

- Empty Weight 2750 lbs.
- 6" Valves
- Camlock Fittings
- Galvanized Finish
- Padeyes
- Forklift Slots
- Galvanized Drip Pan



5" X 6" CENTRIFUGAL PUMP WITH DIESEL POWER

SKID DIMENSIONS 10'L x 4'W x 6'9"H • APPROX. WEIGHT 5,500 lbs.




DETROIT DIESEL 371

- 3 Cylinder w/PTO
- Electric Start
- Battery Box
- Belt Guards
- Drip Pan
- Emergency Shut Down
- Muffler Wrap
- Approx. GPM 1000

6" X 8" CENTRIFUGAL PUMP WITH DIESEL POWER

SKID DIMENSIONS 10'6"L x 4'W x 7'2"H • APPROX. WEIGHT 6,000 lbs.



DETROIT DIESEL 471

- 4 Cylinder w/PTO
- Electric Start
- Battery Box
- Belt Guards
- Drip Pan
- Emergency Shut Down
- Muffler Wrap
- Approx. GPM 1200

ALSO AVAILABLE:

6" X 8" CENTRIFUGAL PUMP WITH DIESEL POWER

SKID DIMENSIONS 12'L x 4'W x 7'3"H
APPROX. WEIGHT 7,500 lbs.

DETROIT DIESEL 671

- 6 Cylinder w/PTO
- Electric Start
- Battery Box
- Belt Guards
- Drip Pan
- Emergency Shut Down
- Muffler Wrap



General Terms and Conditions

WARRANTY AND RESPONSIBILITY

It is recognized that conditions in and about any well or work may involve hazards to life and property and obstacles to the functioning of products and the performance of services, and that such conditions are not and never have been subject to inspection or control by Magnum Mud Equipment Co., Inc.

- Magnum Mud Equipment Co., Inc. warrants only that products, or parts thereof, sold or rented to customers shall be free from defects in materials and workmanship and not that they will accomplish any particular result. Liability under this warranty is limited to replacement of or credit for defective equipment or parts.
- Services rendered by Magnum Mud Equipment Co., Inc. in connection with the rental or sale of its products consist only of technical advice as to make-up, inspection and operation or use. When any such services are rendered, customer will retain full custody, control and supervision of the work or the well and the conduct or operation thereof, and a representative of customer shall be present with full authority to direct operations.
- Magnum Mud Equipment Co., Inc. will exert its best efforts to render other services offered by it as requested. No guarantee or representation is made as to results, and charges will be made regardless of results obtained. Magnum Mud Equipment Co., Inc. reserves the right to remove equipment and personnel from the well at any time, if in its opinion, conditions make such action advisable.
- Customer will hold Magnum Mud Equipment Co., Inc. harmless from any and all liability or claim of liability to any person, firm or corporation for damage to person or property arising out of or in connection with the use of equipment sold or rented hereunder or the rendering of services hereunder, except for damage caused by the willful fault or gross negligence of Magnum Mud Equipment Co., Inc.
- Magnum Mud Equipment Co., Inc. will hold customer harmless from all damage and from any liability to others for or in connection with damage caused by Magnum Mud Equipment Co., Inc.'s willful fault or gross negligence except in cases where concurrent or contributory fault of customer or customer's agents, servants, employees or contractors shall have contributed to such damage.
- Magnum Mud Equipment Co., Inc. will hold customer harmless from any liability or injury to employees of Magnum Mud Equipment Co., Inc. except in cases where such injury results from the fault of customer or customer's agents, servants, employees or contractors.
- Magnum Mud Equipment Co., Inc. will defend at its own cost and expense any suit charging patent infringement in the rental or use of any unaltered rented product and will pay judgement awarded by a court against customer as a result of any such suit, provided the customer is using the product in a manner prescribed by Magnum Mud Equipment Co., Inc. and notifies Magnum Mud Equipment Co., Inc. promptly of such suit and tenders the defense thereof to Magnum Mud Equipment Co., Inc.

8. Products not sold to customer will remain the property of Magnum Mud Equipment Co., Inc. and are not to be repaired or modified without Magnum Mud Equipment Co., Inc.'s consent. If lost or damaged beyond ordinary wear and tear, such products will be charged for as provided in Magnum Mud Equipment Co., Inc.'s current schedule. Any equipment belonging to Magnum Mud Equipment Co., Inc. in customer's possession may be repossessed by Magnum Mud Equipment Co., Inc. upon sixty (60) days notice.

9. All of the preceding terms and conditions shall apply between Magnum Mud Equipment Co., Inc. or any affiliate of Magnum Mud Equipment Co., Inc. and any service company operator, or other party or parties, selling, renting or using Magnum Mud Equipment Co., Inc. products, parts thereof, or services furnished hereunder.

10. The entire liability of Magnum Mud Equipment Co., Inc. including express and implied warranties in connection with its products or services is set forth above, and no one is authorized to waive or amend the same in any particular.

11. Prices, rates or terms are subject to change without notice. Equipment owned by others will be sold, rented or used by Magnum Mud Equipment Co., Inc. under these terms and conditions except where inconsistent with the manufacturer's terms and conditions, when the latter shall prevail.

TERMS OF PAYMENT 30 Days Net. Interest chargeable thereafter.

TAXES AND OTHER CHARGES Any tax based on or measured by the charges or collections for the sale or rental of products or the rendering of services, import duties, documentation charges, freight charges and transfer fees shall be added to the stated price.

CANCELLATION AND RETURNS Orders for products of special design, size or materials are not cancellable after receipt. Special prices will be charged for altered equipment or products made to customer specifications. Credit will not be allowed for products returned without prior written authority.

CHANGE OF DESIGN We reserve the right to change or modify the design of any Magnum Mud Equipment Co., Inc. products without obligation to furnish or install such changes or modifications on products previously or subsequently sold.

RENTAL OF EQUIPMENT Rental charges commence when equipment leaves Magnum Mud Equipment Co., Inc. service base point and continues until returned thereto. If equipment is shipped by carrier to or from lease location, cost of freight will be charged back to customer at Magnum Mud Equipment Co., Inc.'s cost. Costs of restoring rented equipment to first class condition after use will be charged to customer including cleaning of tanks and disposal of any materials left inside of tanks when returned from rental.

SPECIAL PROVISIONS

- There is a five (5) day minimum rent on most rental equipment.
- Installation and maintenance of rental equipment and liability for equipment will be lessee responsibility.
- Service Charges:
 MMECO Supervisor \$55.00 per hour per man
 MMECO Service Personnel \$45.00 per hour per man
 Mileage \$.75 per mile
 Food and Lodging Cost plus 15%
 Third Party Charges at Cost plus 15%
- Cleaning and Disposal charges for tanks coming in from rental with solids or liquids left in them:
 Supervisor..... \$55.00 per hour
 Labor (1 Service Man)..... \$35.00 per hour
 Pressure Washer - 2000 PSI..... \$10.00 per hour
 Transfer Pump..... \$30.00 per hour
 Vacuum Truck..... On Request
 Disposal Water Base..... On Request
 Disposal Oil Base..... On Request
- Prices published FOB. Houma, Louisiana shop and FOB. Jennings, Louisiana.

Prices are subject to change without notice.

Disclaimer: Every effort has been made to insure the accuracy of information published herein, however Magnum Mud Equipment Company, Inc. does not guarantee that all equipment supplied by it will have the same specifications as the equipment in this brochure. If a specific or particular piece or type of equipment is required, it is the responsibility of the person ordering to make it known what is required and that no substitutes will be accepted.

MMECO

RAISING THE STANDARDS

24 HOUR SERVICE

CORPORATE OFFICE:

1973 Highway 182
Houma, Louisiana 70364
Phone: 985-872-1755
Fax: 985-872-1786
1-800-230-8265

Jennings, Louisiana
1923 Highway 90 West
Phone: 337-824-8890
Fax: 337-824-8892
1-800-200-8265

Fourchon, Louisiana
1-800-230-8265

Intracoastal City, Louisiana
1-800-200-8265

Venice, Louisiana
1-800-230-8265

Morgan City, Louisiana
1-800-230-8265

Cameron, Louisiana
1-800-200-8265

Galveston, Texas
1-800-200-8265

